

DISCOUNT PRICE DEADLINE DATE JANUARY 7, 2020

INCLUDE THIS FORM
WITH YOUR ORDER
PLEASE USE BLACK INK

NAME OF SHOW:	OTTAWA HOME & REMODELLING SHOW		
COMPANY NAME:	BOOTH#:		
ADDRESS:	BOOTH SIZE	Х	
CITY/STATE/ZIP:			
CONTACT NAME:	PHONE #:		
CONTACT EMAIL:			

Payment Information

Freeman only accepts payment information electronically. Place your order on FreemanOnline or follow the steps below to provide your payment information electronically and submit your order forms.

Freeman will no longer accept cash payments for any Freeman Services.

1. Submit your payment information

Proceed to our electronic Freeman Pay site to securely submit your payment information https://www.freemanpay.com/487105

2. Submit your order

Upload your order forms through the same link used to submit your payment information

- Both your order and your payment must be received by the discount deadline date to guarantee discount pricing
- Orders received without payment or after the discount price deadline date will be charged at the standard price.
- Copies of invoices may be picked up from the Freeman Service Center prior to show closing.

ELECTRICAL SERVICES

From under carpet wiring to overhead lighting, Freeman has the power to simplify your electrical needs and installation. We've answered your most common questions below to help you place your order or prepare for a detailed discussion. Whether you require basic household/office power or a more technical installation for equipment, audio-visual presentations or truss lights, our electrical specialists and qualified electricians are always available to assist you.

How do I know how much power I need?

First, review a layout of your exhibit, noting all of the items in it that require power. Consider lighting, computer equipment, and your own product. Are you bringing or renting any a/v equipment or ordering catering services that might need power? Will you be using a lead retrieval machine? If it's an item that plugs into a standard wall outlet found in a home or office (in North America), it will require 110/120 volt power. 208 or 480 volt power is generally used for machinery or industrial cooking devices and is ordered by single or 3 phase.

Next, mark the voltage and wattage or amperage (referred to as "load") (100 watts = 1 amp) of each piece of equipment at its location in the booth. This information should be provided on a name plate or stamp usually located on the back or bottom of the equipment. If not indicated, check our accompanying electrical usage guide for estimated wattages for common items used at trade shows or call your rental company/caterer for specifics. For lighting, loads are dictated by the wattage of the bulbs. Arm lights included with Freeman exhibit packages use 200 watt bulbs. Keep in mind that you need to order power for any lighting within your booth unless the lights are ordered directly from the Electrical Department (those listed on the Freeman electrical order form).

Finally, total the wattage for the 120 volt devices in each area and select an outlet that meets or exceeds that total. Separate outlets should be ordered for each piece of equipment and/or each power location to help minimize tripping/power outages. It is always safer to slightly overestimate your power requirements. Wattage or amperages cannot be combined for 208 or 480 volt apparatus. Please order separate outlets for each.

Do I need to order labour?

As the official service contractor, electrical installations must be performed by Freeman union labour. Labour is required for any electrical work over and above the delivery of outlets to the back wall of inline booths. Labour orders will automatically be input upon receipt of an electrical layout for under carpet installation (floor work) or to connect any 208 volt or higher services (hook up). Dismantle labour for electrical services is calculated at 50% of the installation time since much of the work is performed on a mass basis after booths are removed from the exhibit hall. Please see the electrical labour order form for further details, rules and regulations.

What is an electrical layout and why do I need one?

Like your own home, electrical boxes and wiring should not be visible once the exhibit is completed. At show site, they are the first things to be installed so that they can be hidden by drape, walls or counters and under flooring or carpet. Electricians, therefore, work on a blank slate. A good electrical layout or floor plan provides them with a simple overhead view of your booth indicating the locations and load of each electrical outlet and the orientation of your booth within the show itself. The layout should be to scale and provide specific measurements to each outlet along with surrounding aisle or booth numbers to ensure accuracy. For island booths, a main power location must also be indicated as it is the location from which other outlets are fed. Please see the sample layouts and electrical grid for further information.

When a layout and credit card are provided in advance, Freeman makes every effort to ensure that the floor work is completed before you arrive so that there is no delay in assembling your booth. Once carpet is laid, installing or changing electrical services becomes much more difficult and potentially costly.

Please note that layouts, complete with mandatory information, are required prior to the deadline date for electrical orders to be eligible for advance rates. Layouts are not required if all outlets are located at the back wall in inline booths.

Is the price for power per day?

Outlet or connection prices are typically for an entire show.

What is 24 hour power?

Many facilities these days are energy conscious and therefore turn off power overnight during show days. Power is turned off 1/2 hour after the show closes at the earliest and restored no later than 1/2 hour before the show opens the following day. 24 hour power is, as it sounds, power that is continuously on 24 hours per day.

If your booth includes, for example, refrigeration equipment, an aquarium or programmable apparatus that depends on uninterrupted power, you should consider ordering 24 hour service. Power is usually not turned off during move-in or move-out.

Where does the power come from?

Depending on the facility, the power can come from overhead catwalks, floor ports, columns, wall outlets or a combination of these sources. Check with the local Freeman branch office for more information.

Where will my power be located?

In-line and peninsula booths will find their main power source on the floor somewhere along the rear drape line of their booth. Island booths need to submit an electrical layout. Please see the sample layouts and electrical grid for further information.

What if I need power at another location besides the rear of my booth? What if I have multiple power locations?

Exhibitors requiring power at any location other than a back wall must submit an electrical layout. Please see the sample layouts and electrical grid for further information.

How many places will I have to plug in? How many things can I plug in?

For planning purposes, you should always assume that there is only one connection point per outlet ordered. Power strips can provide additional sockets but do not confuse having more places to plug in with additional power. For example – An order is placed for a 1500 watt outlet. A track light with 4 - 100 watt bulbs is plugged in to a power strip connected to the outlet, using 400 of the 1500 watts. Any lighting or equipment now plugged in to a second socket may not exceed 1100 watts

Also keep in mind that power strips are designed, for safety purposes, to trip at 1500 watts or 15 amps. Using a power strip with a 2000 watt (20 amp) outlet will reduce it to a 1500 watt outlet.

All orders exceeding 120 volt/20 amps provide one connection point only cannot accommodate power strips and require labour for installation.



Can I bring my own extension cords and power strips? (Also known as plug strips, multi strips, etc.)

Exhibitors may use their own extension cords and power strips under the following conditions:

- The equipment must be 3 wire, 14 gauge minimum with a ground.
- The extension cords must be flat if they are to be laid under carpet. (Labour is required to lay the cords.)
- · All power strips must have circuit protection.

Can I run my extension cords under the carpet myself?

For safety reasons, exhibitors are not allowed to run any electrical wiring under any type of floor covering or where they may be concealed in the booth structure. The show's electrical contractor is liable for electrical installations and therefore must perform all floor or booth work.

Will my floor work be completed before I arrive?

Every attempt is made to have floor work completed prior to carpet installation if you have submitted the following:

- · A completed electrical order form.
- A valid and authorized credit card to be kept on file for the company.
- An electrical layout indicating the main power location, dimensions to each power location, the power required at each location, and surrounding aisle or booth numbers to determine orientation of the booth.

Labour and material charges apply.

When will my power be turned on?

Power is only guaranteed to be installed before the show opens. If Freeman is allowed early access to the facility, power is normally ready the first day of move-in for exhibitors but any special requests such as temporary chain motor power, programming machinery or testing equipment should be noted on your order.

Do I need lighting?

Lighting can dramatically change the impact of an exhibit, no matter the size. Used effectively, lighting can emphasize specific areas of a booth or highlight products. Also, an exhibit will appear dark and uninviting if the surrounding booths are lit and yours is not.

Can I hang my own lights?

10 x 10 booths with pop-up displays (a display that can be assembled in less than 30 minutes without tools) can hang their own lights and plug them in without ordering labour. Typically, exhibitors themselves can hang up to 7 lights as long as they require no more than 20 amps in total but it is best to clarify with the local branch. If a decorating company (including Freeman) has been contracted to install a display, electrical labour is required to install the lights. Due to union contracts, no other union is allowed to install electrical equipment.

Do I need to order power for my lighting?

Exhibitors ordering Electrical Services lighting (those listed on the Freeman electrical order form) do not need to order power. It is included in the rental. Exhibitors supplying their own lighting or renting lights need to order power. Labour may be required to hang the lights.

Do I need to order labour to plug in my lights or equipment?

Most 120 volt connections do not require labour. Exhibitors are welcome to plug in their own standard office devices. Labour is required for all 208 or 480 volt connections and if lights or equipment need wiring or if electrical cords are to be run under the carpet or in concealed areas to ensure that all electrical codes and building rules are met.

How can I save money and frustration when ordering electrical services?

Most importantly, be sure to submit your order before the discount price deadline date. If an electrical layout is needed, it also must be received, complete with mandatory information, before the deadline date to be eligible for discount pricing. Late orders can be subject up to a 50% increase in cost because of the behind-the-scenes planning required to distribute power.

Don't underestimate your power requirements and work within the local rules, regulations and union jurisdictions. They have been implemented to avoid problems. While it may seem simple to plug in lights and equipment, it is not uncommon for exhibit or non electrical staff to overload circuits. Trouble calls can become expensive when it takes time to find the source of a problem.

If unsure about labour, call us for direction and if necessary, place a "will call" order before the discount price deadline date. You will only incur a charge if labour is dispatched to your booth but you'll have secured the advance pricing. And, check in with the electrical or service desk as soon as you know you need labour, not at the time you want the electricians in your booth. It will help to avoid delays as we can schedule accordingly.

Lastly, try to resolve any disputes at show site. It is much easier to discuss electrical issues when both parties can physically review the installation.

Additional questions?

Call customer service at the number listed on the Quick Facts and ask for the Electrical Services Department. For fast, easy ordering, tools, and helpful hints go to www.freemanco.com/store.

ELECTRICAL SERVICES

The grid below may be printed to layout your electrical requirements for booths up to 40 x 40 or used as a sample to develop your own plan for larger exhibits. Please complete as clearly as possible, indicating the following:

- 1. **Location of the main power drop**. Power needs to be distributed from one location at which a panel or other piece of electrical equipment will be installed. It is recommended that this equipment be placed in a closet, under a table/desk or in another location that keeps it out of sight. Please provide specific dimensions.
- 2. **Location and load of all outlets**. Please provide specific dimensions and wattages/amperages. *Please do not simply place an X where power is required.*
- 3. **Booth orientation**. Please provide surrounding aisle and/or booth numbers, particularly for island booths. Also, please try to orient your booth to the overall floor plan so that the diagram does not have to be rotated.

SHOW	NΑ	M	≡_		 	 			 	 	 					 	 	 _	С	Α	ГΕ	s_		 	 	
COMP	٩N	ΥN	IA۱	ЛE				 										_	В	Ю	ТС	Η:	#_	 		
												r B	00	th#	<i>‡</i> _	 	 									
																									\Box	
																									+	
																									_	
																									4	
																									+	
																									-	
																									-	
1																										Ad
																									_	jac
1																									\dashv	Adjacent Aisle or Booth#
																									-	Σ
#																									-	sle
) t																										g
300																									_	В
or F																									\dashv	ĕ
<u>9</u>																									-	# _
Ais																									\dashv	
Adjacent Aisle or Booth#																										
ace																										1
Ą																									4	İ
4																									\dashv	Ī
																									\dashv	
																									_	
	\vdash										1														\dashv	
	\vdash																								\dashv	
																									十	

Adjacent Aisle or Booth # _____

ISLAND BOOTHS

Electrical layouts are always required for island booths and **must include** the following information:

1. Main Drop.

Since there is no back wall in an island, the exhibitor supplies the location of the main drop, whether one or multiple outlets are ordered. When it will be the point from which power will be distributed to other outlets in the booth, a panel or other piece of electrical equipment (no larger than? x? x?) will be installed at the main drop. For this reason, it is recommended that main drops be located in a closet, under a table/desk or in another area that keeps it out of sight. Measurements must be provided to the main drop.


2. Location and load of all outlets.


Again, dimensions must be provided to all satellite outlets along with the load of each outlet. It is best to indicate voltage, phase and amperage for all outlets once an order exceeds 120 volt service.

3. Booth orientation.


Providing reference points such as surrounding aisle and/or booth numbers defines how an island booth is oriented to the overall show floor plan. In other words, which side is which? It is best to draw your layout relative to the show floor plan so that both are facing the same direction. Examples:

Section of show floor plan





20 x 20 Island – Booth # 401 Order = 1 x 208 volt, 3 phase, 10 amp + 120 volt, 2 x 20 amp + 2 x 5 amp outlets



ELECTRICAL SERVICES USAGE GUIDE

The following wattages are approximate and are provided to help you estimate your power usage. To assist in estimating we recommend that you refer to the name plate or stamp usually located on the back or bottom of any electrical apparatus and order the corresponding outlet for each piece of equipment to avoid tripping/power outages during the event.

The formula for wattage is voltage x amperage (120 volt x 1 amp = 120 watts), 5 - 100 watt light bulbs = (5x100 = 500 watts)

Please feel free to contact our electrical specialists at FreemanES@freemanco.com with any additional questions.

	WATTAGE		WATTAGE
Blender	475-1000	Imprinter for T-Shirts	2000
Can Opener	500	Iron	700-1100
Card Reader (credit) / Lead	Retrieval 100	Juicer - Single	500
Cash Register	100-200	Juicer - Double	1000
Coffee Pot - Household Siz	e 600-1200	Laminator	2000
Coffee Pot - Large Brewer	1500-2000	Lights with Freeman Rental Booths	200 each
Computer - Monitor (indepe	endent) 120-200	Meat Slicer	500-1000
Computer - Desktop (monit	or & CPU) 200-900	Microwave Oven	500-2000
Computer - Laptop	100-300	Mixer	500-1000
Computer Printer - Dot Mat	rix 100-500	Photocopier dependent upon size - may	require 208 volt
Computer Printer - Laser	400-1000	Pizza Oven (small) 30amp/120 volt Spe	cial Connection
Crock Pot	200-1000	Popcorn Maker	2000
DVD Player	50-100	Projector (dependent upon size)	1000
Electric Frying Pan	1200-2000	Refrigerator - Small	400
Fax Machine	1000	Refrigerator - Full Size	750
Flat Screen TV - 32" to 50"	1000	Sewing Machine	1000
Food Processor	500-2000	Steamer	2000
Glue Gun	300	Stereo (amplifier)	100-500
Griddle	1500-2000	Television	100-500
Hair Dryer	1000-2000	Toaster	1000
Heat Lamps (per lamp)	250	Toaster Oven	1500
Heater (portable)	1500-2000	Vacuum Cleaner	1500
Hot Plate Single	1000	VCR	100
Hot Plate Double	1500-2000	Water Cooler - Cold Water	1000
Hot Water Heater	30amp/208 volt/Single Phase	Water Cooler - Hot/Cold Water	2000

940 Belfast Road Ottawa, Ontario, K1G 4A2 (613) 748-7180 • Fax: (469) 621-5631

DISCOUNT PRICE DEADLINE DATE JANUARY 7, 2020

INCLUDE THE FREEMAN METHOD OF PAYMENT FORM WITH YOUR ORDER

NAME OF SHOW:	DTTAW	A HOM	E & RE	EMODELLIN	IG SHOW
COMPANY NAME:					_ BOOTH #:
CONTACT NAME:					PHONE #:
E-MAIL ADDRESS:					
For Assistance, please call 613-748		speak with o	ne of our	experts.	
		Fo	r fast, easy	ordering, go to w	ww.freeman.co
ELECTRICAL OUTLETS (Double F	rice for 24 l	– Hour Service)			
Power includes delivery of the service and inline booths. Please see the Elec					
require outlets in other locations, hav	e lights or	electrical ite	ms to hang		
power of 208v or higher, or have othe	r electrical	requirement	s.		ind
110/120 VOLT (Power to be placed a	t back-centi	re of exhibit s	pace)		
	Quantity	Quantity		Standard	
	(For Show Hours Only)	(For 24 hrs/day Double Price)			
	Show	24 Hr.	Price	Price TOTA	<u>L</u> As
750 Watts duplex outlet (40-7-7/8)			\$118.50	\$165.90 = \$	exa
1500 Watts duplex outlet (40-7-15/16)			\$149.75	\$209.65 = \$	loc in,
15 A dedicated quad outlet (40-7-17)			\$163.75	\$229.25 = \$	
20 A dedicated quad outlet (40-7-20/21)			\$209.25	\$292.95 = \$	
208 VOLT SINGLE PHASE (Labou	r Required	for Connectio	n)		Po
20 Amps (40-9-20/21)			\$430.25	\$602.35 = \$	
30 Amps (40-9-30/31)			\$575.50		
60 Amps (40-9-60/61)			\$781.75		
100 Amps (40-9-100/101)			\$1105.75	\$1548.05 = \$	If p
Please specify the NEMA code on yo	ur plua:				und
Please specify the NEMA code on yo 208 VOLT THREE PHASE (Labour		or Connection	\		
	Required ic	or Connection		\$640.15 = \$	If a
20 Amps (40-10-20/21) 30 Amps (40-10-30/31)			\$457.25 \$607.00		<u> </u>
60 Amps (40-10-60/61)			\$855.00		
100 Amps (40-10-100/101)			\$1238.75		
Transformer to Boost 208V to Approx	230V - \$3	.75 per Amp	(20 Amp N		sho
Qty of Amps _	>	CPrice \$	= \$	S	
Please specify the NEMA code on you	ur plua:				Ple
	p.u.g				
LIGHTING (Price Includes Power & La	abour for Ins	stallation)*			
Double Light Stand (LED) (40-19-132)			\$90.75	\$127.05 = \$	
Power Strip (40-30-5)			\$30.00	\$42.00 = \$	
Extension Cord (40-30-15)			\$30.00	\$42.00 = \$	
* For double light stands, price includes Placement elsewhere will require add					r If

ADDITIONAL INFORMATION

an.com

FOR ADVANCE PAYMENT PRICE

Your order with full payment along with a floor plan indicating main power location and distribution points, if applicable, must be received prior to:

DEADLINE DATE OF: JANUARY 7, 2020

MULTIPLE OUTLET LOCATIONS

A scaled floor plan is required for orders with multiple outlet locations and/or island booths. Detailed examples are provided on the following page. If a power location or main drop Is not provided prior to show movein, a location will be determined by Freeman in order to maintain delivery schedules. Relocation of the service will be charged on a time and material basis.

INLINE AND PENINSULA BOOTHS

Power will be placed in the back of the booth unless otherwise specified.

POSITIONING FLOOR WORK (Installation & Dismantle)

If power is to be installed anywhere other than along the back drape of the booth or if power is to be installed under the carpet, there is a charge of \$65 for straight time (\$90 for overtime) per location drop

24 HOUR SERVICES

If an uninterrupted power supply is required for the full duration of the show, please order 24 hour power. Electricity is turned on 30 minutes prior to show

opening and turned off 30 minutes after show closes on show days. Power will be turned off immediately after final show closing. If you require power outside actual show hours, special arrangements should be made in advance. Additional charges may apply.

EUROPEAN EQUIPMENT

Please inform us if you are using European equipment and supply technical sheets

CANCELLATION

A 50% refund will be applied to electrical services cancelled after installation. Refunds will not be issued for materials and/or labour charges related to the installation.

OVERHEAD POWER

If you require your power from overhead, additional materials and labour may be incurred. Please contact freemanottawaES@freemanco.com.

	TOT	ΔL	
+		_=	
Subtotal	13% HST	Total	

estimated charges.

ELECTRICAL INSTRUCTIONS

HOW TO DETERMINE ELECTRICAL REQUIREMENTS

For Equipment

All electrical equipment is stamped or labeled with electrical ratings usually found on the back or bottom of the equipment. Verify voltage and either amperage or wattage from the information provided. Standard office and household items operate on 110/120 volt power. Machinery and equipment typically require 208 or 480 volt power.


For Lighting

Verify the wattage of the bulbs in the lights and multiply by the number of bulbs/lights.

LOCATION OF POWER IN YOUR BOOTH

In-Line and Peninsula Booths

Power will be installed in one location, typically on the floor somewhere along the back of the booth, as indicated in the following diagrams: (We cannot guarantee that the outlet will be specifically located in the middle.)






IN-LINE BOOTHS / PENINSULA


BACK TO BACK PENINSULA

If power is required in locations other than indicated above, secondary distribution will be required and billed on a time and material basis. Please complete and submit an Electrical Labour Order Form with your power order, along with a floor plan as described below.

Island Booths/Multiple Outlets

Floor plans are always required for Island Booths and orders for multiple outlet locations. The floor plan must indicate booth dimensions, surrounding booth numbers for orientation within the facility, each outlet location, required wattage or amperage and location for main drop. If power location in an island booth is not provided prior to show move-in, a location will be determined by Freeman in order to maintain delivery schedules. Relocation of the service will be charged on a time and material basis. See examples below: A grid is available at freemanco.com to print as a base layout.





Labour Required

OTHER:

- 1. Labour is required for any and all electrical work over and above the installation of the main power drop. Please see the Electrical Labour form for complete details. Please complete the labour order form.
- 2. Dismantle labour will be automatically charged at 50% of the installation time and rounded to the nearest half hour.
- 3. All material and equipment provided by Freeman is for rental purposes only and remains the property of Freeman . All equipment will be removed at the close of the show by Freeman.
- 4. All equipment regardless of power source, must comply with Federal, State and local codes. Freeman reserves the right to inspect all electrical devices and connections to ensure compliance with all codes. Freeman is required to refuse connections where the exhibitor wiring is not in accordance with local electrical code.
- 5. Standard wall and other permanent building utility outlets or sockets are not part of booth space and may not be used by exhibitors unless electrical services have been ordered.
- 6. Exhibitors' cords must be a minimum of 14 gauge 3 wire with ground and must be flat when used for floorwork. All multi-outlet devices (eg power strips) must have circuit protection. All exposed non-current carrying metal parts of fixed equipment, which are liable to be energized, shall be grounded.
- 7. Exhibitors' equipment will be modified to conform to Freeman receptacles. Labour and materials to install or change a cord cap will be billed on a time and material basis.
- 8. Exhibitors with hardwall displays must arrange for power to be installed inside the booth or provide access.
- 9. Power sharing is not permitted between exhibitors.

July 2015 Page 2 of 2



INCLUDE THE FREEMAN METHOD OF PAYMENT FORM WITH YOUR ORDER

	E OF SHOW:	<u> </u>	AWA HOME & R		DELLING	эпом		
COM	IPANY NAME:				E	OOTH #:		
CON	TACT NAME:				P	HONE #:		
For	Assistance, plea	ase call 613-748-71	80 to speak with one of		•			
LA	BOUR RATES	& SCHEDULE:	For fast, easy ordering	g, go to	o www.freeman.co	m		
	aight Time -		0 pm Monday through	r Frida	ау			
Ove	ertime -	6:00 am - 8:0	0am and 4:00pm - 12	:00 m	idnight Monday	through Friday	′	
		6:00 am - 12:	00 midnight Saturday	and S	Sunday			
Dοι	uble Time -	12:00 midnigh	nt to 6:00 am and reco	ognize	ed Holidays			
			POSITIONING	G FL(OOR WORK			
			ʻpositioning' charge per l h measurements of each				our, see ra	ates below.
		Straight :	Time: Quantity		_ x \$65.00 = \$			
		Overt	ime: Quantity xample: Quantity: 2 posi		x \$90.00 = \$			
De	escription					Α	dvance rice/Hr	Show Site Price/Hr
El	ectrician - ST							\$ 131.25
Εl	ectrician - Oī	Г				\$ 1	40.50	\$ 196.50
	ecurician - Di			•••••		Þ I	07.25	\$ 262.25
• 5	Start time guar Review the I	anteed only at sta	our orders placed at sh rt of working day. to determine if electric	ow sit	our is required in	n your booth. No	one of the	following
• 5	Start time guar Review the lervices may be	anteed only at statist of work below a performed by other	our orders placed at sh rt of working day.	al labo	te. our is required in s it falls under e	n your booth. No	one of the	e following e and materia
• 5	Review the lervices may be charge	anteed only at sta list of work below e performed by oth es will apply. Pleas	our orders placed at shour orders placed at shout of working day. to determine if electricater Unions or I & D house visit the Freeman second and an example of a	al labouses as rvice d	te. our is required in s it falls under e lesk to confirm t oleted floor plan	n your booth. No lectrical jurisdic that you are read	one of the tion. Time dy for ser	e following e and materia vice.
• 5	Review the lervices may be charge	anteed only at star list of work below e performed by oth s will apply. Pleas or more informatio	our orders placed at shour orders placed at shour of working day. to determine if electricher Unions or I & D house visit the Freeman seron and an example of a	al labo ses as rvice d comp	te. our is required in s it falls under e lesk to confirm t eleted floor plan	n your booth. No lectrical jurisdic that you are read please see the f	one of the tion. Time dy for ser	e following e and materia vice.
• 5	Start time guar Review the lervices may be charge Note: Fo	anteed only at star list of work below e performed by othes will apply. Pleas or more information	our orders placed at short of working day. to determine if electricher Unions or I & D house visit the Freeman seron and an example of a BOOTH work is any of the following the following sure of the service of the se	al labo ses as rvice d comp	te. our is required in s it falls under e lesk to confirm to eleted floor plank: ease check all the	n your booth. No lectrical jurisdic that you are read please see the f at apply:	one of the tion. Time dy for ser following	e following e and materia vice. page.
• 5	Review the lervices may be charge Note: For Distribution of location in you	anteed only at star list of work below e performed by othes will apply. Pleas or more information Booth	to determine if electricater Unions or I & D hou e visit the Freeman seron and an example of a BOOTH work is any of the following than one drop	al laborate de comp	te. Dur is required in sit falls under elesk to confirm to the second s	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through	one of the tion. Time dy for ser following booth stru	e following e and materia vice. page. acture. om truss or
so	Review the lervices may be charge Note: For Distribution of location in you	anteed only at star list of work below e performed by oth is will apply. Pleas or more information Booth of electrical overhead in booth).	to determine if electricater Unions or I & D hou e visit the Freeman seron and an example of a BOOTH work is any of the following than one drop	al labouses as rvice du comp	our is required in a it falls under elesk to confirm to eleted floor plank: Distribution of elesm beams (including the element of the elemen	n your booth. No lectrical jurisdic that you are read please see the f at apply:	one of the tion. Time dy for ser following booth stru ighting fro hanging o	e following e and materia vice. page. acture. om truss or of truss).
se se	Review the lervices may be charge Note: For the distribution of location in you Connection or wiring of over	anteed only at star list of work below e performed by oth s will apply. Pleas or more information Booth electrical overhead ir booth). hard wiring of all ex	to determine if electricater Unions or I & D hou e visit the Freeman seron and an example of a BOOTH work is any of the following than one drop	al labouses as rvice du comp	our is required in a it falls under elesk to confirm to eleted floor plank: Distribution of elesm beams (including the element of the elemen	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through installation of all ling assembly and	one of the tion. Time dy for ser following booth stru ighting fro hanging o	e following e and materia vice. page. acture. om truss or of truss).
so	Review the lervices may be charge Note: For the distribution of location in you Connection or wiring of over	anteed only at star list of work below e performed by oth s will apply. Pleas or more information Booth electrical overhead ir booth). hard wiring of all ex	our orders placed at short of working day. to determine if electricater Unions or I & D house visit the Freeman seron and an example of a BOOTH work is any of the following than one drop xhibitor equipment.	al labouses as rvice du comp	our is required in a it falls under elesk to confirm to eleted floor plank: Distribution of eleams (including the element)	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through installation of all ling assembly and	one of the tion. Time dy for ser following booth stru ighting fro hanging o	e following e and materia vice. page. acture. om truss or of truss).
so	Review the lervices may be charge Note: For the distribution of location in you Connection or wiring of over	anteed only at star list of work below e performed by othes will apply. Pleas or more information Booth of the below	our orders placed at short of working day. to determine if electricater Unions or I & D house visit the Freeman seron and an example of a BOOTH work is any of the following than one drop xhibitor equipment.	al labouses as rvice du comp	our is required in a it falls under elesk to confirm to eleted floor plank: Distribution of eleams (including the element)	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through installation of all I ag assembly and lectrical headers	one of the tion. Time dy for ser following booth stru ighting fro hanging o	e following e and materia vice. page. acture. om truss or of truss).
s · · · · · · · · · · · · · · · · · · ·	Review the levices may be charge Note: For the location of location in you Connection or Wiring of over Other Other OUR REQUEST	anteed only at star list of work below e performed by oth is will apply. Pleas or more information Booth electrical overhead in booth). hard wiring of all exhaus	our orders placed at short of working day. to determine if electricater Unions or I & D house visit the Freeman seron and an example of a BOOTH work is any of the following than one drop xhibitor equipment.	al laborates as a service of comp	te. Dur is required in a it falls under elesk to confirm to eleted floor plank: Distribution of elease check all the ease che	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through l installation of all I ng assembly and lectrical headers	bone of the tion. Time dy for ser following booth struighting from hanging cand/or lighting the booth struighting from hanging cand-booth struighting cand-booth struighting from hanging cand-booth struighting from hang	e following e and materia vice. page. acture. om truss or of truss). ht boxes.
se s	Review the levices may be charge Note: For the levices may be charge. Distribution of location in your connection or the levices may be charged by the levices may	anteed only at star list of work below e performed by oth es will apply. Pleas or more information Booth electrical overhead ir booth). hard wiring of all extends head signs.	our orders placed at short of working day. to determine if electricater Unions or I & D house visit the Freeman seron and an example of a BOOTH work is any of the following than one drop of the properties of	al laborate as a service of comp	te. Dur is required in it falls under elesk to confirm to elesk to confirm to elese to confirm to elese to confirm to elese the floor plan. C: Distribution of e Assembly and in beams (including linest element) element element.	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through installation of all I ng assembly and lectrical headers	bone of the tion. Time dy for ser following booth struighting from thanging of and/or lighting from the following series and/or lighting from the following series and for lighting from the following series and for lighting series and for lighting from the following series and for lighting series and seri	p following e and materia vice. page. page. patricular truss or of truss). ht boxes. ORK TYPE poth Work
se s	Review the levices may be charge Note: For the location of location in you Connection or Wiring of over Other OUR REQUEST	anteed only at star list of work below e performed by oth s will apply. Pleas or more information Booth electrical overhead ur booth). hard wiring of all extended signs. TimeTimeTime	pur orders placed at short of working day. to determine if electricater Unions or I & D house visit the Freeman seron and an example of a BOOTH work is any of the following (more than one drop exhibitor equipment. # Electrician	al laborates as a service of comp	te. Dur is required in a it falls under elesk to confirm to elesk to confirm to eleted floor plan. C: Distribution of elease check all the ease	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through l nstallation of all I ng assembly and lectrical headers SEFloor WorkFloor Work_	bone of the tion. Time dy for ser following booth struighting from hanging control and/or lighting booth struighting from hand from lighting booth struighting from hand from lighting from hand from hand from lighting from hand from lighting from hand fro	e following e and material vice. page. cture. om truss or of truss). ht boxes. ORK TYPE ooth Work
so s	Review the lervices may be charge Note: For the level of	anteed only at star list of work below e performed by othes will apply. Pleas or more information Booth electrical overhead ar booth). hard wiring of all extends head signs. Time TimeTimeTime	pur orders placed at short of working day. to determine if electricater Unions or I & D house visit the Freeman seron and an example of a BOOTH work is any of the following (more than one drop exhibitor equipment. # Electrician # Electrician # Electrician	al laborates as a comp WORI ing. Ple	te. Dur is required in a it falls under elesk to confirm to elesk to elesk all that elesk elesk elesk all that elesk eles	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through l installation of all I ing assembly and lectrical headers SE Floor Work Floor Work	bone of the tion. Time dy for ser following booth struighting from and/or lighting booth struighting booth struighting from and/or lighting booth struighting from and/or lighting booth struighting booth struighting from a struighting booth struighti	e following e and materiavice. page. cuture. com truss or of truss). cht boxes. ORK TYPE coth Work coth Work coth Work
so s	Review the levices may be charge Note: For the levices may be charge. Distribution of location in your connection or the levices. Other	anteed only at star list of work below e performed by oth s will apply. Pleas or more information Booth electrical overhead ir booth). hard wiring of all extends head signs. Time TimeTimeTimeTime	# Electrician # Electrician # Electrician # Electrician # Electrician	al laborate de comp	te. Dur is required in a it falls under elesk to confirm to elesk e	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through installation of all I ng assembly and lectrical headers SEFloor WorkFloor WorkFloor Work	bone of the tion. Time dy for ser following booth struighting from the tighting from the tight and/or light a	e following e and materia vice. page. cture. om truss or of truss). ht boxes. ORK TYPE ooth Work ooth Work
so sate_ate_ate_ate_ate_	Review the levices may be charge Note: For the levices may be charge Other	anteed only at star list of work below e performed by other es will apply. Pleas for more information Booth electrical overhead for booth) hard wiring of all extended for booth for more information	# Electrician # Electrician # Electrician # Electrician Est. # Hours Est. # Hours	al laborates as a service of comp	te. Dur is required in a it falls under elesk to confirm to elesk to confirm to elesk to confirm to elesk to confirm to elese the confirmation to element to elese the confirmation to element	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through l installation of all I ing assembly and lectrical headers SEFloor WorkFloor WorkFloor Work	bone of the tion. Time dy for ser following booth struighting from hanging control and/or lighting booth struighting from hand from from	e following e and materiavice. page. acture. om truss or of truss). ht boxes. ORK TYPE ooth Work ooth Work ooth Work
so s	Review the levices may be charge Note: For the levices may be charge Other	anteed only at star list of work below e performed by other es will apply. Pleas for more information Booth electrical overhead for booth) hard wiring of all extended for booth for more information	pur orders placed at short of working day. to determine if electricater Unions or I & D house visit the Freeman seron and an example of a BOOTH work is any of the following (more than one drop exhibitor equipment. # Electrician # Electrician Est. # Hours	al laborates as a service of comp	te. Dur is required in a it falls under elesk to confirm to elesk to confirm to elesk to confirm to elesk to confirm to elese the confirmation to element to elese the confirmation to element	n your booth. No lectrical jurisdic that you are read please see the f at apply: lectrical through l installation of all I ing assembly and lectrical headers SEFloor WorkFloor WorkFloor Work	bone of the tion. Time dy for ser following booth struighting from hanging control and/or lighting booth struighting from hand from from	e following e and materiavice. page. acture. om truss or of truss). ht boxes. ORK TYPE ooth Work ooth Work ooth Work

ELECTRICAL INSTRUCTIONS

- 1 Labour rates are based on current wage scales and are subject to change in the event of a wage increase after rates have been published.
- 2 A minimum charge of one hour is applicable to all labour requests. Additional time on the same day is billed in 1/2 hour increments. Continuations to another day are a minimum of 1 hour.
- 3 Labour must be picked up at the Freeman service desk. Charges for labour commence at time of dispatch to service the labour call. A one hour minimum will apply if an exhibitor representative is not present at the time of call or reschedules the call, unless 24 hour advance notice is received in writing.
- 4 Labour charges will include the time for electricians to gather the necessary tools and material for the job, have their work checked by the client and return the tools and material to the supply area.
- 5 Exhibitors may supply their own 14 gauge 3 wire, extension cords and/or power strips, both of which must be grounded and UL approved.


CANCELLATION POLICY

A 50% refund will be applied to electrical outlets cancelled after installation. Refunds will not be issued for materials and/or labour charges related to the installation.

EXAMPLE OF PLAN AND INFORMATION REQUIRED TO COMPLETE FLOORWORK

Please indicate the following on the floor plan.

- Location and load of main power dropplease provide specific dimensions and wattages/amperages.
- 2. Location and load of all outlets please provide specific dimensions and wattage, amperage and voltage.
- 3. Booth orientation please provide surrounding aisle and/or booth numbers.



JULY 2015 Page 2 of 2



INCLUDE THE FREEMAN METHOD OF PAYMENT FORM WITH YOUR ORDER

E-MAIL ADDRESS For Assistance, please call 613-748-7180 to speak with one of our experts. For fast, oasy ordering, go to www.freeman.com HANGING SIGN LABOUR AND EQUIPMENT INSTRUCTIONS Overhead harging signs are to be sent in separate containers directly to advance warehouse using the enclosed Lianging Sign Labels. This container MUST arrive by the warehouse shipping deadline. If these procedures are not followed, Freeman cannot guarantee the hanging of your sign or advance private warehouse shipping deadline. If these procedures are not followed, Freeman Forman and conditions from the support to show Management rules and regulations and facility limitations. All overhead hanging must be assembled, installed, and removed by Freeman. Please refer to the Freeman Terms and Conditions for the Enchlotions Services Manual as it relates. Please complete the enclosed Labour Order Form for labour to assemble your hanging sign. Set up instructions must be provided for signs needing assembly. Hanging anchor points must be previded for signs needing assembly. Hanging anchor points must be previded for signs needing assembly. Hanging anchor points must be previded for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be previded for signs needing assembly. Hanging anchor points must be previded for signs needing assembly. Hanging anchor points must be previded for signs needing assembly. Hanging anchor points must be previded for signs needing assembly. Hanging anchor points must be previded for signs needing assembly with the National Electrical Code. ELECTRICAL SERVICE equirements must be ordered in advance on the enclosed ELECTRICAL SERVICE equirements must be ordered in advance on the enclosed ELECTRICAL SERVICE equirements must be ordered in advance on the enclosed ELECTRICAL SERVICE equirements must be ordered in advance on the enclosed ELECTRICAL SERVICE equirements must be ordered in advance on the enclosed ELECTRICAL SERVICE experiment						-
For Assistance, please call 613-748-7180 to speak with one of our experts. For For For Ext. easy ordering go to www.freeman.com HANGING SIGN LABOUR AND EQUIPMENT EQUIPMENT AND LABOUR RATES Overhead hanging signs are to be sent in separate containers directly to advance warehouse using the enclosed Handing Sign Labels. This container MUST arrive by the warehouse shipping deadline. If the procedures are not followed, Freeman cannot guarantee the hanging of your sign or advance printing. - All ceiling rigging must conform to Show Management rules and regulations and facility limitations. - All overhead hanging must be assembled, installed, and removed by Freeman. Please refer to the Freeman Terms and Conditions found in the Exhibitor Services Membral dist relates. Peace complete and in the Exhibitor Services Membral dist relates. Peace complete and in the Exhibitor Services Membral dist relates. Peace complete and in the Exhibitor Services Membral dist relates. Peace complete and in the Exhibitor Services Membral dist relates. Peace complete and in the Exhibitor Services without distributions and Conditions found in the Exhibitor Services Membral distributions. - Set up instructions must be pre-fabricated and ready for use Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE: equirements must be ordered in advance on the enclosed ELECTRICAL SERVICE of continuous managements and the National Electrical Code. ELECTRICAL SERVICE of continuous managements and the National Electrical Code. ELECTRICAL SERVICE of Code Form. - If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. - Straight Time cannot be guaranteed and ready for use Straight Time cannot be guaranteed and ready for use Straight Time cannot be guaranteed and ready for use Straight Time cannot be guaranteed and ready for use Straight Time cannot be guaranteed and ready for use Straight Time cannot be guaranteed and ready for use.	COMPANY NAME	BOO	TH #:			
For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please call 613-748-7180 to speak with one of our experts. For assistance, please called for a search of the our experts. For assistance, please called for assistance was provided for signs needing assembly. It among anchor points must be provided for signs needing assembly. Hanging anchor points must be pre-fabricated and ready for use. Electrical ost, ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVICE of contents must be ordered in advance on the enclosed ELECTRICAL SERVI	CONTACT NAME:	PHO	NE #:			-
HANGING SIGN LABOUR AND LABOUR RATES 1. Overhead hanging signs are to be sent in separate containers directly to advance warehouse using the enclosed Hanging Sign Labels. This container MUST arrive by the warehouse shipping deadline. If these procedures are not followed, Freeman cannot judantate the hanging of your sign or advance pricing. 2. All celling digning must conform to Show Management rules and regulations and facility limitations. 3. All overhead hanging must be assembled, installed, and removed by Freeman. Please refer to the Freeman and Conditions found in the Exhibitors Services Manual as it relates. Please complete the enclosed Labour Order Form for labour to assemble your hanging sign. 3. Set up instructions must be provided for signs needing assembly. 4. Hanging anchor points must be provided for signs needing assembly. 5. Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed ELECTRICAL SERVICE Corder Form. 6. If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. 7. Free lines for the free spatical stop of the most points must be determined. 8. Straight Time \$9.37.5 \$131.25 8. SIGN DESCRIPTION, SIZE & WEIGHT 8. For signs chert than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. 9. Straight Time \$9.37.5 \$131.25 9. Does Your Sign Require Electricity Assembly 1. Straight Time \$9.37.5 \$131.25 1. Straigh	E-MAIL ADDRESS					-
INSTRUCTIONS Overhead hanging signs are to be sent in separate containers directly to advance warehouse using the enclosed Hanging Sign Labels. This container MUST arrive by the warehouse shipping deadline. If the procedures are not followed, Freeman cannol guarantee the hanging of your sign or advance printing. All ceiling rigging must conform to Show Management rules and regulations and facility limitations. All overhead hanging must be assembled, installed, and removed by Freeman, Please refer to the Freeman Terms and Conditions found in the Exhibitors Services Manual as it relates, Please complete the enclosed Labour Order Form for labour to assemble your hanging sign. Set up instructions must be provided for signs needing assembly. Hanging anchor points must be pre-fabricated and ready for use. Electrical signs must be in working order and in accordance with the National Electrical Oxel ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed ELECTRICAL SERVICE of equirements must be ordered in advance on the enclosed ELECTRICAL SERVICE Topic most in the National Electrical Oxel ELECTRICAL SERVICE Sequirements must be ordered in advance on the enclosed ELECTRICAL SERVICE Topic most in the National Electrical Oxel ELECTRICAL SERVICE Topic most in the National Electrical Oxel ELECTRICAL SERVICE Sequirements and the ordered in advance on the enclosed ELECTRICAL SERVICE Sequirements and the ordered in advance on the enclosed ELECTRICAL SERVICE Sequirements and the ordered in advance on the enclosed ELECTRICAL SERVICE Sequirements and the sequirement of the se	·					
Noverhead hanging signs are to be sent in separate containers directly to developed hanging signs are to be sent in separate containers directly to diverse werehouse using the enclosed Hanging Sign Labels. This container MUST arrive by the waterbouse shipping deadline. If these procedures are not followed. Freeman cannot guarantee the hanging of your sign or advance pricing. • All overhead hanging must be conform to Show Management rules and regulations and facility limitations. • All overhead hanging must be assembled, installed, and removed by Freeman. Please refer to the Freeman Terms and Conditions found in the Exhibitor's Services Manual as it relates. Please complete the enclosed Labour Order Form for labour to assemble your hanging sign. • Set up instructions must be provided for signs needing assembly. • Hanging anchor points must be pre-fabricated and ready for use. • Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed ELECTRICAL SERVICE order Form. • If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. • SIGN DESCRIPTION, SIZE & WEIGHT • For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. • Type: Clich Banner Metal or Wood Other • Size: Height Length Width • Use diagram below to represent your booth space. Indicate how fair in from each boundary you would like your sign placed. • The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. • Free in from the beak Arise # . • Free in from the beak Arise # . • Free in from the beak Arise # . • Free in from the beak Arise # . • Free in from the beat Arise # . • Free in from the beak Arise # . • Free in from the beak Arise # . • Free in from the beak Arise # . • Free						
Overhead hanging signs are to be sent in separate containers directly to advance warehouse using the enclosed Hanging Sind Labes This container MUST arrive by the warehouse shipping deadline. If these procedures are not followed. Freeman cannot guarantee the hanging of your sign or advance pricing. **All ceiling rigging must conform to Show Management rules and regulations and facility initiations. **All overhead hanging must be assembled, installed, and removed by Freeman. Please refer to the Freeman Terms and Conditions found in the Exhibitors Services Manual as it relates. Please complete the enclosed Labour Order Form for labour to assemble your hanging sign. **Set up instructions must be provided for signs needing assembly. **Hanging anchor points must be pre-fabricated and ready for use. **Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE order Form. **If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. **SIGN DESCRIPTION, SIZE & WEIGHT **For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. **Type: Cloth Banner** **Metal or Wood** **Open Square** **Tinangle** **Rest in from the back Aulas s** **PLACEMENT DIAGRAM** **Use diagram below to represent your booth space. Indicate how fair in from each boundary you would like your sign placed. **The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. **Fast in from the back Aulas s** **	HANGING SIGN LABO					
holidays Crew Size All overhead hanging must be assembled, installed, and removed by Freeman, Please refer to the Freeman Terms and Conditions found in the Exhibitors Services Manual as it relates. Please complete the enclosed Labour Order Form for labour to assemble your hanging sign. Set up instructions must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging anchor points must be provided for signs needing assembly. Hanging mack or provided for signs needing assembly. Hanging mack or points must be provided for signs needing assembly. Hanging mack or provided for signs needing assembly. Hanging mack or provided for signs needing assembly. Hanging mack or provided for sig	 Overhead hanging signs are to be sent in separate containers directly to advance warehouse using the enclosed <u>Hanging Sign Labels</u>. This container MUST arrive by the warehouse shipping deadline. If these procedures are not followed, Freeman cannot guarantee the hanging 	TO HANG SIG Straight Time	8:00am - 4:00pn 6:00am - 8:00an midnight Monda 6:00am - 12 mid	n Monday th n and 4:00p y through F night Saturo	m - 12:0 riday day & S	00 unday
All overhead hanging must be assembled, installed, and removed by Freeman, Please refor to the Freeman Terms and Conditions found in the Exhibitors Services Manual as it relates. Please complete the enclosed Labour Order Form for labour to assemble your hanging sign. Set up instructions must be provided for signs needing assembly. Hanging anchor points must be pre-fabricated and ready for use. Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE Order Form. If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. SIGN DESCRIPTION, SIZE & WEIGHT For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. Type: Cloth Banner Metal or Wood Other Shape: Square Triangle Rectangle Other Wood Sign: Does Your Sign Require Electricity Assembly Labour? Syour Sign Require Electricity Assembly Labour? Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Aide # Description of the support beams may require your sign to be moved from your specified location. Feet in from the back Aide # Description of the support beams may require your sign to be moved from your specified location. Feet in from the back Aide # Description of the support beams may require your sign to be moved from your specified location. Feet in from the back Aide # Description of the support beams may require your sign to be moved from your specified location. Feet in from the back Aide # Description of the support beams may require your sign to be moved from your specified location. Feet in from the back Aide # Description of the support beams may require your sign to be moved from your specified location. Feet in from the back Aide # Description of the support b			holidays		ecogniz	<u>red</u>
Sign. Set up instructions must be provided for signs needing assembly. Hanging anchor points must be pre-fabricated and ready for use. Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE Order Form. If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. SIGN DESCRIPTION, SIZE & WEIGHT For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined information so hanging anchor points may be determined information so hanging anchor points may be determined be used to the support beams may require Signal Designed to Rotate? PLACEMENT DIAGRAM Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. The celling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the front Alale # Show site prices will apply to all hanging sign orders placed at show site. One hour minimum per lith/crew thereafter is charged in half (1/2) hour increments One hour minimum per lith/crew lither we hard an expenditure in half (1/2) hour increments Ord hour minimum per lith/crew lither we hard and accordance with the National Electrical Mild and accordance with the National Electrical SERVICE Corder Advanced Show Site Arces per lith and crew per lour charge in half (1/2) hour increments Ord hour minimum per lith/crew thereafter is charged in half (1/2) hour increments Straight time cannot be guaranteed ADDITIONAL CREW Advanced Show Site Arces Price Hadditonal Crew Straight The Call Diaman Straight The Call Diaman Straight The Call Diaman Straight The Call Diaman Straight Th	Freeman. Please refer to the Freeman Terms and Conditions found in the Exhibitors Services Manual as it relates. Please complete the	<u>Materials</u>	Cable, clamps, e charged accordi	etc. addition	al and	
- Hanging anchor points must be pre-fabricated and ready for use Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed ELECTRICAL SERVICE Order Form. - If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. - If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. - SIGN DESCRIPTION, SIZE & WEIGHT - For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. - For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. - Size: Height	sign.	 Show site pri 	ces will apply to	all hanging	ı sign o	rders
Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed ELECTRICAL SERVICE COTTMENT of the National Electrical Code. ELECTRICAL SERVICE COTTMENT of Septial authorization. If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. SIGN DESCRIPTION, SIZE & WEIGHT For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. Type: Cloth Banner Metal or Wood Other Shape: Square Triangle Rectangle Other Slize: Height Length Width Width Wight of Sign: Does Your Sign Require Electricity Assembly Says More in from seach boundary you would like your sign placed. PLACEMENT DIAGRAM Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Alale # Feet in from the foot Alale # Feet in from the foot Alale # Enthiltor Personnel Estilibitor Personnel Estilibitor Personnel Estilibitor Personnel Estilibitor Personnel Estilibitor Personnel		 Rates are per 	lift and crew per h	our		
* Straight time cannot be guaranteed Assembly Labour*: Advanced Assembly Labour*: x hrs @ = \$ * Straight time cannot be guaranteed Assembly Labour Price/Hr Straight Time \$ 93.75 \$131.25 Overtime \$ 93.75 \$131.25 Overtime \$ 140.50 \$196.50 Double Time \$ 187.25 \$262.25 ** Straight Time \$ 93.75 \$131.25 Overtime \$ 187.25 \$262.25 ** Straight Time \$ 93.75 \$131.25 Overtime \$ 187.25 \$262.25 ** Straight Time \$ 93.75 \$131.25 Overtime \$ 187.25 \$262.25 ** Straight Time \$ 93.75 \$131.25 Overtime \$ 187.25 \$262.25 ** Straight Time \$ 93.75 \$131.25 Overtime \$ 187.25 \$262.25 ** Straight Time \$ 93.75 \$131.25 Overtime \$ 187.25 \$262.25 ** Straight Time \$ 93.75 \$131.25 Overtime \$ 187.25 \$262.25 ** Straight Time \$ 93.75 \$131.25 Overtime \$ 187.25 \$262.25 ** LiFT EQUIPMENT RATES* ** Scissor Lift \$ 124.25 \$173.95 Boom Lift \$ 180.25 \$252.35 ** INSTALLATION Estimate QTY Appx. Hrs. Rate Est. Cos Straight Installation Cost: \$ \$ ** Lift Equipment: x hrs @ = \$ \$ ** Additional Crew: x hrs @ = \$ \$ ** DISMANTLE Estimate QTY Appx. Hrs. Rate Est. Cos Straight Installation Cost: \$ \$ ** DISMANTLE Estimate QTY Appx. Hrs. Rate Est. Cos Straight Installation Cost: \$ \$ ** Disassembly Labour*: x hrs @ = \$ \$ ** Disassembly Labour*: x hrs @ = \$ \$ ** Disassembly Labour*: x hrs @ = \$ \$ ** Supervision for assembly and disassembly of overhead hanging sign can be provided by Freeman, or by your company representative, display house independent or lighting contractor. ** Feet in from the back Aisle # ** ** Feet in from the front Aisle # ** ** Feet in from the front Aisle # ** ** Straight Time \$ 93.75 \$131.25 ** Overtime \$ 187.25 \$262.25 ** LiFT EQUIPMENT RATES* ** Scissor Lift \$ 124.25 \$ \$173.95 ** Boom Lift \$ \$180.25 \$ \$252.35 ** Installation Crew: x hrs @ = \$ \$ ** Estimate QTY Appx. Hrs. Rate Est. Cos Straight Appx. Hrs. Rate Papx. Cost Papx Appx. Hrs. Rate Papx Appx. Hrs. Rat	Electrical signs must be in working order and in accordance with				eafter is	į
* If any hang point supports over 250 lbs., notify Freeman immediately for special authorization. * Freet in from the back Asise #	must be ordered in advance on the enclosed ELECTRICAL SERVICE	ADDITIONAL CREW /	Advance	i l		
Overtime \$140.50 \$196.50 Double Time \$187.25 \$262.25 SIGN DESCRIPTION, SIZE & WEIGHT For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. Type: Cloth BannerMetal or WoodOther Size: Height Length Width Weight of Sign: Does Your Sign Require Electricity Assembly_ Is Your Sign Designed to Rotate?YesNo (Initial in the applicable box above) PLACEMENT DIAGRAM Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Alale # Feet in from the back Alale # Feet in from the front. Alale # Feet in from the font. Alale # Feet in from						
SIGN DESCRIPTION, SIZE & WEIGHT For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. Type: Cloth BannerMetal or Wood Other Shape: SquareTriangle Rectangle Other Size: Height Length Width Weight of Sign: Does Your Sign Require Electricity Assembly Is Your Sign Designed to Rotate? Yes No	for special authorization.	•			\$19	96.50
For signs other than banners, include blueprint or drawing with detailed information so hanging anchor points may be determined. Type: Cloth Banner Metal or Wood Other Shape: Square Triangle Rectangle Other Size: Height Length Width		Double Time	\$187.25		\$26	32.25
* For signs other than banners, include bulgethirt of drawing with detailed information so hanging anchor points may be determined. Scissor Lift \$124.25 \$173.95 Type: Cloth Banner		LIFT EQUIPMENT	RATES			
Type: Cloth BannerMetal or WoodOther Shape: SquareTriangleRectangleOther Size: Height Length Width Weight of Sign: Does Your Sign Require Electricity Assembly Is Your Sign Designed to Rotate? Yes No (Initial in the applicable box above) PLACEMENT DIAGRAM • Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. • The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Alsile # Feet in from the front Aisle # Boom Lift \$180.25 Appx. Hrs. Rate Est. Cos Lift Equipment: x hrs @ = \$ ESTIMATED INSTALLATION COST: \$ DISMANTLE Estimate QTY Appx. Hrs. Rate Est. Cos Lift Equipment: x hrs @ = \$ ESTIMATED DISMANTLE COST: \$ Supervision for assembly and disassembly of overhead hanging sign can be provided by Freeman, or by your company representative, display house independent or lighting contractor. Please indicate method of supervision you require for assembly/disassembly House Additional Crew and/or equipment will be used if the supervisor deems					\$1	73 95
Shape: Square			·			
Size: Height Length Width Width Weight of Sign: Does Your Sign Require Electricity Assembly Is Your Sign Designed to Rotate? Yes No (Initial in the applicable box above) PLACEMENT DIAGRAM • Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. • The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Aisle # Feet in from the front Aisle # Feet in from the front Aisle # Esthibitor Personnel Exhibitor Personnel			stimate			
Weight of Sign: Does Your Sign Require Electricity Is Your Sign Designed to Rotate? Yes No (Initial in the applicable box above) PLACEMENT DIAGRAM Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Aisle # Feet in from the front Aisle # Feet in from the applicable box above) Feet in from the applicable box above Additional Crew: Additional Crew: Additional Crew: Additional Cre						
Does Your Sign Require ElectricityAssembly Is Your Sign Designed to Rotate?						
Assembly Labour*: x hrs @ = \$ PLACEMENT DIAGRAM • Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. • The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Aisle # Feet in from the left Aisle # Feet in from the front Aisle # Free and Free and / or equipment will be used if the supervisor deems						
PLACEMENT DIAGRAM • Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. • The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Aisle # Feet in from the left Aisle # Feet in from the front Aisle # Fe		Assembly Labour*: _	xhrs	@	= \$;
PLACEMENT DIAGRAM Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the left Aisle # Feet in from the front Aisle # Additional Crew: x hrs @ = \$ Disassembly Labour*: x hrs @ = \$ ESTIMATED DISMANTLE COST: \$ Supervision for assembly and disassembly of overhead hanging sign called be provided by Freeman, or by your company representative, display house independent or lighting contractor. Please indicate method of supervision you require for assembly/disassembly: Est. Cos				LLATION (COST: \$;
Use diagram below to represent your booth space. Indicate how far in from each boundary you would like your sign placed. The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Aisle # Feet in from the back Aisle # Feet in from the left Aisle # Feet in from the front Aisle #		DISMANTLE Estim		. Rat	9	Est. Cost
far in from each boundary you would like your sign placed. The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Aisle # Feet in from the left Aisle # Feet in from the front Aisle # Additional Crew: x hrs @ = \$ ESTIMATED DISMANTLE COST: \$ Supervision for assembly and disassembly of overhead hanging sign can be provided by Freeman, or by your company representative, display house independent or lighting contractor. Please indicate method of supervision you require for assembly/disassembly: Freeman Exhibitor Personnel Display House Additional Crew: x hrs @ = \$ Throw the information in the left in from the back Aisle # Additional Crew: x hrs @ = \$ ESTIMATED DISMANTLE COST: \$ Supervision for assembly and disassembly of overhead hanging sign can be provided by Freeman, or by your company representative, display house independent or lighting contractor. Please indicate method of supervision you require for assembly/disassembly: ESTIMATED DISMANTLE COST: \$		Lift Equipment				
The ceiling structure and relation to the support beams may require your sign to be moved from your specified location. Feet in from the back Alsle #						
require your sign to be moved from your specified location. Feet in from the back Aisle #				_		
Feet in from the back Aisle #		Diodocombiy Labour				
in from the left Aisle # Feet in from the front Aisle # Aisle # In from the right Aisle # Exhibitor Personnel Display House Additional crew and/or equipment will be used if the supervisor deems	Feet in from the back Aisle #	be provided by Freem	mbly and disassembl an, or by your compa	y of overhead	d hangir	ng sign can
Additional crew and/or equipment will be used if the supervisor deems	in from the left in from the right	sembly:FreemanExhibitor Perso	. ,	ı require for a	ssembly	/disas-
Number of feet from floor to top of sign: it will be charged accordingly.		Additional crew and/o	omplete the installation			

Subtotal

13% HST

Total

Electrical Services

GUIDELINES FOR BANNER HANGING

The following guidelines are in effect at the facility, in order to ensure that all banner hanging in the facility is conducted safely and with due care for the building infrastructure.

FREEMAN is the Exclusive Supplier of Rigging Services for the facility. As such all rigging in the building will be managed by FREEMAN, according to the following procedures. All related costs are available on our Rigging Services Price List.

All banners must adhere to the requirements below. Delays, additional equipment, and labour charges may be incurred by not having the appropriate materials to hang your banner effectively and safely. All Exhibitor sign hanging may be ordered using Freeman Electrical's Sign & Banner Hanging Order form.

- 1. Banners in excess of 6 feet linear should come with a rigid support for best results when hanging. For banners in excess of 20 feet linear, truss may be necessary to allow the banner to hang safely and correctly. Freeman Electrical Services will notify the owner/hanging party whether truss is required and whether any additional charges may apply.
- 2. All banners must include grommets and pole pockets.
- 3. All non-exhibitor banner hanging orders should be placed through Freeman Electrical Services directly at least two weeks prior to the event move-in date. An order will be considered placed and pricing confirmed when Freeman Electrical Services issues a Rigging Order Acceptance Sheet. A diagram showing banner dimensions and placement will need to accompany all orders.
- 4. Banner hanging placement must be approved by the facility. Please contact your Event Manager directly.
- 5. facility exterior banners (if permitted) must meet the following guidelines:
 - 1. Approximately two thirds of the area of an exterior banner should consist of mesh.
 - 2. Where a banner is made exclusively of vinyl, wind pockets must be built into the banners in order to allow wind to flow through easily.
 - 3. All edges of banners should have flat-felled seams, i.e., the edges should be folded over, glued, and doubled-stitched.
 - 4. Mesh banners must be reinforced with webbing in the in the folds before the grommets are affixed.
 - 5. All corners must be reinforced with webbing before the grommets are affixed as the corners handle most of the stress.
 - 6. Banners must be made of lightweight, water-resistant, material
 - 7. In the event of a severe weather notice, banners may have to be removed, or install delayed
 - 8. All banners must be made to the following specifications in order to be hung:
 - i. Width: 4 ft. 11 in. (59 inches max)
 - ii. Height/Length: 28 ft. 6 in.
 - iii. Top/Bottom Pipe Pocket (1 1/4" pipe rod): 5-6 inches depth
 - iv. Each of the (10) mount position includes: (2) single sided Banners & (1) Double sided Banner

CAN WE HELP YOU?

Please don't hesitate to contact us at 613-748-7180 or at freemanottawaES@freemanco.com for any additional information, assistance or product and services information we can provide you in establishing and confirming your event's rigging/electrical/mechanical services.

Electrical Services

RIGGING & OVERHEAD SAFETY POLICY

The following policies and procedures are in effect at the facility, in order to ensure that all rigging in the facility is conducted safely and with due care for the building infrastructure.

FREEMAN is the Exclusive Supplier of Rigging Services for the facility. As such all rigging in the building will be managed by FREEMAN, according to the following procedures. All related costs are available on our Rigging Services Price List.

- 1. FREEMAN can provide, upon request, AutoCAD and PDF scale drawings of all riggable ceilings in the facility. These drawings will show the location and rating of all rigging points, and other relevant ceiling details. These drawings are provided electronically at no charge.
- 2. Hanging will be permitted only from approved, rated rigging points. Charges for use of rigging points are shown on our Rigging Services Price List.
- 3. For any event for which rigging is required, a rigging plan must be submitted to **FREEMAN** for approval. This plan must be in an approved printed or electronic format, must be to scale, must show all equipment being hung, and must show the weight load for each rigging point being used. It must show all required rigging points, including cable picks. Charges for plan approval are shown on our Rigging Services Price List.

This plan must be submitted for approval no later than 14 days in advance of the load-in day of the event. In the event that the customer cannot provide a rigging plan, **FREEMAN** is able to produce one. In such cases, there is a consultation process required, so 21 days notice is requested. Charges for plan production are shown on our Rigging Services Price List.

- 4. FREEMAN must perform all work required to attach and de-attach equipment to the rigging points, installed rigging equipment and all equipment flown. No other supplier may do so. Upon approval of the rigging plan and receipt of a production schedule, FREEMAN will provide a cost estimate for the labour required to do so. This labour will be charged on an hourly basis, with a 4-hour minimum charge. FREEMAN reserves the right to establish the number of riggers required for your event. The number of riggers (minimum 2) and hours will be based on the work to be done. Hourly rates for Rigging Labour are shown on our Rigging Services Price List.
- 5. All rigging and lift equipment (including but not limited to scissor, boom, chain hoists, chain falls, hangers etc.,) must be ordered through, provided and operated by **FREEMAN**. All rigging and lift operation labour must be ordered through and provided by **FREEMAN**.
- 6. **FREEMAN** reserves the right to disqualify from use any equipment, which in their opinion, does not meet appropriate safety standards. In this event, **FREEMAN** may be able to provide alternate equipment, and will do so upon request, as quickly as possible.
- 7. All equipment attached to truss, pipe, beam, lighting fixture, or hung in any other manner must be secured by means of a steel safety cable.
- 8. All suppliers hanging equipment from the ceiling must provide the facility with a Certificate of Liability Insurance showing proof of coverage in the amount of \$2,000,000 per occurrence, and specifically holding harmless the facility and FREEMAN. This must be provided no later than 14 days in advance of the load-in day of the event.
- 9. FREEMAN can provide a full range of rigging components including truss and will provide a cost estimate upon request. Prices for rigging equipment are shown on our Rigging Services Price List.

CAN WE HELP YOU?

Please don't hesitate to contact us at 613-748-7180 or at <u>freemanottawaES@freemanco.com</u> for any additional information, assistance or product and services information we can provide you in establishing and confirming your event's rigging/electrical/mechanical services.



PLEASE INCLUDE THIS FORM WITH YOUR HANGING SIGN ORDER FORM

, the contracted exhibitor at

STRUCTURAL INTEGRITY STATEMENT THIS FORM MUST BE RETURNED FOR ALL SUSPENDED STRUCTURES

the OTTAWA HOME & REMODELLING SHOW a	and (if applicable), the display house
or builder for the aforementioned exhibitor, do he	reby certify and guarantee that the
stress points for the hanging structure have been	properly engineered and tested. We
further certify that the structure can be hung safely	y and has been constructed to meet
all applicable regulations and safety measures.	
We hereby release, indemnify and forever hold	harmless the SHOW MANAGER,
EY CENTRE, FREEMAN, and its subsidiaries, t	heir directors, officers, employees,
representatives, agents and contractors from and	
damage, loss, fines, or penalties arising from the ir	
structure. All hang points supporting in excess of	200 lbs. may be verified (metered)
on site at exhibitor's expense.	
Exhibiting Company:	Booth #:
Authorized Signature:	
Printed Name:	Date:
E-Mail:	
Display House/Builder (if applicable):	
Authorized Signature:	
Printed Name:	Date:
E-Mail:	

Please complete and return form to:

FREEMAN 940 Belfast Road Ottawa, ON K1G 4A2

Fax: (613) 748-5977



DISCOUNT PRICE DEADLINE DATE JANUARY 7, 2020

INCLUDE THE FREEMAN METHOD OF PAYMENT FORM WITH YOUR ORDER

NAME OF SHOW: OTTAWA HOM	E & REMODELL	ING SHOW
COMPANY NAME:		BOOTH #:
CONTACT NAME:		PHONE #:
E-MAIL ADDRESS:		
For Assistance, please call 613-748-7180 to speak with o	one of our experts.	
	easy ordering, go to www.f	
COMPRESSED AIR		ADDITIONAL INFORMATION
QTY	Discount Standard <u>Price</u> <u>Price</u>	TOTAL To honour the Discount Price your order must be remitted with payment by the above noted deadline date. Only an authorized FREEMAN qualified representative is permitted to make a connection to any of the facilities.
0 to 4 cu.ft. per min. (40-1-1) 5 to 10 cu.ft. per min. (40-1-10) 11 to 20 cu.ft. per min. (40-1-11) 21 to 38 cu.ft. per min. (40-1-12) 24hrs Continuous Service (40-1-20)	\$342.50 \$ 479.50 =\$ \$504.50 \$ 706.30 =\$ \$739.75 \$1035.65 =\$ \$869.50 \$1217.30 =\$ \$ 90.75 \$ 127.05 =\$	No mechanical equipment shall be restarted after failure until a FREEMAN qualified representative has found and corrected the malfunction. Service Charges may apply. CANCELLATION: Cancellation must be made by telephone and accompanied by fax and/or email notification. A 50% refund will be applied on standard listed items on this form if cancelled
Natural Gas Initial 1/2" connection to booth (40-1-200) Additional connection to booth (40-1-200) 24hrs Continuous Service (40-1-106) Your Natural Gas order must be accompanied by the no later than 10 days prior to the exhibitor material contents.	\$ 90.75 \$ 127.05 =\$ TSSA approval and sul	pressed air, natural gas, water fill & drain, hot water tanks, etc). Service rates quoted include installation to the back centre wall of booth area, services while in use, and removal. If required elsewhere in the booth, a scaled floor plan must be included with orders indicating desired location. Additional labour and material charges may apply.
Fill and Drain container up to 1000 gallons (40-3-14) Fill and Drain container up to 5000 gallons (40-3-15) Fill and Drain container exceeding 5000 gallons (40-3-16) 1/2" Valved cold water connection to booth (40-2-1) Drain connector to booth (gravity) minimum (40-3-17) Drain connector to booth (pumped) minimum (40-3-18) Additional air, water, or drain outlets (40-2-2) Hot Water Tank - [6] imperial gallons (40-2-12) Hot Water Tank - [40] imperial gallons (40-2-13) 24hrs Continuous Service (40-3-20) SPECIAL REQUIREMENTS Please don't hesitate to contact us at 613-748-7180 or freemano information. SPECIAL REQUIREMENT:	\$175.25 \$245.35 =\$	All orders for Natural Gas must comply with current provincia regulations/codes/standards and the manufacturer's certified instructions. Any variation must be accompanied by a certificate/letter from the TSSA (Technical Standards and Safety Authority) approving the variance. Gas Service will not be supplied for any variance unless the above documentation has been provided and TSSA inspection has been completed. The TSSA may be contacted at 1-877-682-8772.
	тот	AL
	+	<u> </u>

Subtotal

13% HST

Total

FREEMAN® | FREEMAN® **HANGING SIGN**



DO NOT DELAY

MUST BE DELIVERED BY JANUARY 15, 2020

_	_	_	_	_	
	D	n	N	Л	•
	\mathbf{r}	v	I٧	1	

Company Nai	<u> </u>		

TO: Freeman Electrical

Company Namo

940 BELFAST ROAD

C/O OTTAWA HOME & REMODELLING SHOW

OTTAWA, ONTARIO, CANADA

Piece Count

K1G 4A2

HANGING SIGN



DO NOT DELAY

MUST BE DELIVERED BY JANUARY 15, 2020

FROM:

Company Name	

Piece Count

Freeman Electrical

940 BELFAST ROAD

C/O OTTAWA HOME & REMODELLING SHOW

OTTAWA, ONTARIO, CANADA

K1G 4A2